



Shenzhen Coban Electronics Co., Ltd

Add : 6/F, bldg 8, zhiheng industries park, guankou 2nd Road, nantou, nanshan, shenzhen, china 518052
 Contact: Mandy Mobile:Tel: +86 188 2021 8356 FAX: 86-755-26975145
 Skype: sales01@coban.net Email: sales01@coban.net
 www.coban.com http://coban.en.alibaba.com http://www.globalsources.com/coban.co
 Optimal web based online tracking platform: www.gstrackerxy.com Demo ID: demo_password: 8888

Main GPS Trackers

Picture	Model	Specifications	Functions	Package & accessories																
	GPS102-B	<table border="1"> <tr><td>GSM Module:</td><td></td></tr> <tr><td>Band:</td><td>850/900/1800/1900MHz</td></tr> <tr><td>GPS Chip:</td><td>SIRF3 chip</td></tr> <tr><td>GPS sensitivity:</td><td>-159dBm</td></tr> <tr><td>GPS accuracy</td><td><5M</td></tr> <tr><td></td><td>Hot start <1s</td></tr> <tr><td>TTFB(Time To First Fix):</td><td>Hot start <15s</td></tr> <tr><td></td><td>Cold Start <35s</td></tr> </table>	GSM Module:		Band:	850/900/1800/1900MHz	GPS Chip:	SIRF3 chip	GPS sensitivity:	-159dBm	GPS accuracy	<5M		Hot start <1s	TTFB(Time To First Fix):	Hot start <15s		Cold Start <35s	<p>For person and vehicle both Location based service(LBS) + GPS double real time tracking solution,monitor Built-in memory for 16,000 positions, Support microSD GPS blind spot alert SOS,geo fence,movement, overspeed and low battery alert Shock sensor alert Sleep by shock sensor mode, sleep by time mode Less gprs traffic mode SMS tracking on cellphone with google maps link Absolute street address by SMS Free PC based tracking software Web online tracking server</p>	<p>GPS unit magnetic battery cover batteries(two) battery dock AC adapter USB cable water proof bag user manual CD Package Optional accessories: Hardwired car charger Cigarette lighter car charger Microsd memory card</p>
GSM Module:																				
Band:	850/900/1800/1900MHz																			
GPS Chip:	SIRF3 chip																			
GPS sensitivity:	-159dBm																			
GPS accuracy	<5M																			
	Hot start <1s																			
TTFB(Time To First Fix):	Hot start <15s																			
	Cold Start <35s																			
	GPS103-A	<table border="1"> <tr><td>GSM Module:</td><td></td></tr> <tr><td>Band:</td><td>850/900/1800/1900MHz</td></tr> <tr><td>GPS Chip:</td><td>SIRF3 chip</td></tr> <tr><td>GPS sensitivity:</td><td>-159dBm</td></tr> <tr><td>GPS accuracy</td><td><5M</td></tr> <tr><td></td><td>Hot start <1s</td></tr> <tr><td>TTFB(Time To First Fix):</td><td>Hot start <15s</td></tr> <tr><td></td><td>Cold Start <35s</td></tr> </table>	GSM Module:		Band:	850/900/1800/1900MHz	GPS Chip:	SIRF3 chip	GPS sensitivity:	-159dBm	GPS accuracy	<5M		Hot start <1s	TTFB(Time To First Fix):	Hot start <15s		Cold Start <35s	<p>For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution,monitor remote shutdown vehicle engine and resume ARM & DISARM by SMS GPS blind spot alert SOS,Geo fence, movement, overspeed, low battery and power off alert Door alarm, ACC alarm and shock sensor alarm Less gprs traffic mode SMS tracking on cellphone with google maps link Absolute street address by SMS Free PC based tracking software and web online server</p>	<p>GPS Unit 10 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone CD manual package Optional accessories Shock sensor alarm siren Microsd memory card Accident sensor</p>
GSM Module:																				
Band:	850/900/1800/1900MHz																			
GPS Chip:	SIRF3 chip																			
GPS sensitivity:	-159dBm																			
GPS accuracy	<5M																			
	Hot start <1s																			
TTFB(Time To First Fix):	Hot start <15s																			
	Cold Start <35s																			
	GPS103-B	<table border="1"> <tr><td>GSM Module:</td><td></td></tr> <tr><td>Band:</td><td>850/900/1800/1900MHz</td></tr> <tr><td>GPS Chip:</td><td>SIRF3 chip</td></tr> <tr><td>GPS sensitivity:</td><td>-159dBm</td></tr> <tr><td>GPS accuracy</td><td><5M</td></tr> <tr><td></td><td>Hot start <1s</td></tr> <tr><td>TTFB(Time To First Fix):</td><td>Hot start <15s</td></tr> </table>	GSM Module:		Band:	850/900/1800/1900MHz	GPS Chip:	SIRF3 chip	GPS sensitivity:	-159dBm	GPS accuracy	<5M		Hot start <1s	TTFB(Time To First Fix):	Hot start <15s	<p>For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution,monitor remote shutdown vehicle engine and resume ARM & DISARM by SMS ARM & DISARM by remote controller GPS blind spot alert SOS,Geo fence, movement, overspeed, low battery and power off alert Door alarm, ACC alarm and shock sensor alarm Less gprs traffic mode SMS tracking on cellphone with google maps link Absolute street address by SMS Free PC based tracking software and web online server</p>	<p>GPS Unit Remote controller(one) 10 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone CD manual package Optional accessories One more remote controller Shock sensor alarm siren Microsd memory card Accident sensor</p>		
GSM Module:																				
Band:	850/900/1800/1900MHz																			
GPS Chip:	SIRF3 chip																			
GPS sensitivity:	-159dBm																			
GPS accuracy	<5M																			
	Hot start <1s																			
TTFB(Time To First Fix):	Hot start <15s																			
	GPS103-A+	<table border="1"> <tr><td>Band:</td><td>850/900/1800/1900MHz</td></tr> <tr><td>GPS Chip:</td><td>SIRF3 chip</td></tr> <tr><td>GPS sensitivity:</td><td>-159dBm</td></tr> <tr><td>GPS accuracy</td><td><5M</td></tr> <tr><td rowspan="3">Time To First Fix:</td><td>Cold status <45s</td></tr> <tr><td>Warm status <35s</td></tr> <tr><td>Hot status <1s</td></tr> </table>	Band:	850/900/1800/1900MHz	GPS Chip:	SIRF3 chip	GPS sensitivity:	-159dBm	GPS accuracy	<5M	Time To First Fix:	Cold status <45s	Warm status <35s	Hot status <1s	<p>For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution,monitor Dual simcard switch automatically ARM & DISARM, LOCK / UNLOCK BY SMS remote shutdown vehicle engine and resume Reset by SMS Track upon time and distance intervals GPS blind spot alert Power save mode, less gprs traffic mode Automatic update positions of vehicle turns SOS,Geo fence, movement, overspeed, low battery and power off alert Door alarm, ACC alarm,shock sensor alarm, fuel alarm Configure parameters by USB SMS tracking on cellphone with google maps link Absolute street address by SMS Free PC based tracking software Web online tracking server</p>	<p>GPS Unit 16 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone CD manual package Optional accessories One more remote controller Shock sensor alarm siren Microsd memory card Fuel sensor Central locking relay(2 in 1 set) Accident sensor</p>				
Band:	850/900/1800/1900MHz																			
GPS Chip:	SIRF3 chip																			
GPS sensitivity:	-159dBm																			
GPS accuracy	<5M																			
Time To First Fix:	Cold status <45s																			
	Warm status <35s																			
	Hot status <1s																			
	GPS103-B+	<table border="1"> <tr><td>Band:</td><td>850/900/1800/1901MHz</td></tr> <tr><td>GPS Chip:</td><td>SIRF4 chip</td></tr> <tr><td>GPS sensitivity:</td><td>-160dBm</td></tr> <tr><td>GPS accuracy</td><td><6M</td></tr> <tr><td rowspan="3">Time To First Fix:</td><td>Cold status <46s</td></tr> <tr><td>Warm status <36s</td></tr> <tr><td>Hot status <2s</td></tr> </table>	Band:	850/900/1800/1901MHz	GPS Chip:	SIRF4 chip	GPS sensitivity:	-160dBm	GPS accuracy	<6M	Time To First Fix:	Cold status <46s	Warm status <36s	Hot status <2s	<p>For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution,monitor Dual simcard switch automatically ARM & DISARM, LOCK / UNLOCK BY SMS ARM & DISARM, LOCK / UNLOCK by remote controller remote shutdown vehicle engine and resume Reset by SMS Track upon time and distance intervals Power save mode, less gprs traffic mode Automatic update positions of vehicle turns SOS,Geo fence, movement, overspeed, low battery,power off and gps blind spot alert Door alarm, ACC alarm,shock sensor alarm, fuel alarm Configure parameters by USB SMS tracking on cellphone with google maps link Absolute street address by SMS Free PC based tracking software Web online tracking server</p>	<p>GPS Unit Remote controller(one) 16 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone CD manual package Optional accessories One more remote controller Shock sensor alarm siren Microsd memory card Fuel sensor Central locking relay(2 in 1 set) Accident sensor</p>				
Band:	850/900/1800/1901MHz																			
GPS Chip:	SIRF4 chip																			
GPS sensitivity:	-160dBm																			
GPS accuracy	<6M																			
Time To First Fix:	Cold status <46s																			
	Warm status <36s																			
	Hot status <2s																			

	GPS104-B	GSM Module:	For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution	GPS Unit(Magnet included) AC adapter Harness Relay for stopping engine External GSM antenna External GPS antenna Waterproof bag Cigarette lighter car charger CD manual package Optional accessories Microsd memory card Accident sensor
		Band:	850/900/1800/1900MHz	
		GPS Chip:	SIRF3 chip	
		GPS sensitivity:	-159dBm	
		GPS accuracy	<5M	
		TTF(Time To First Fix):	Hot start <1s	
	GPS106-A	GSM Module:	For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution,monitor	GPS Unit 16 PIN harness 4 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone CD manual package Optional accessories one more remote controller Fuel sensor Temperature sensor Camera Central locking system relay box shock sensor alarm siren Microsd memory card Accident sensor
		Band:	850/900/1800/1900MHz	
		GPS Chip:	SIRF3 chip	
		GPS sensitivity:	-159dBm	
		GPS accuracy	<5M	
		TTF(Time To First Fix):	Cold status <45s Warm status <35s Hot status<1s	
	GPS107-A	GSM Module:	For vehicle (12V-24V) Location based service(LBS) + GPS double real time tracking solution,monitor	GPS Unit 16 PIN harness 6 PIN harness Relay for stopping engine External GSM antenna External GPS antenna External microphone CD manual package Optional accessories Fuel sensor Temperature sensor Camera shock sensor alarm siren Microsd memory card Accident sensor Central locking system relay box(JD01) Either call handset or scheduling screen RFID or OBD II or CAN(choose one only for each tracker) Ads screen
		Band:	850/900/1800/1900MHz	
		GPS Chip:	SIRF3 chip	
		GPS sensitivity:	-159dBm	
		GPS accuracy	<5M	
		TTF(Time To First Fix):	Cold status <45s Warm status <35s Hot status<1s	

Note:

1. All quoted for 4 bands.
2. This quotation doesn't include freight cost and insurance, it's Ex Works Shenzhen price.
3. Payment: 100% payment in advance by T/T or Western Union
4. Warranty: One year from the date of delivery from factory.
5. Bank Account:
Account NO.: 642 012561 838
Account Name: SHENZHEN COBAN ELECTRONICS CO., LIMITED
Bank name: Hong Kong and Shang Hai Banking Corporation
SWIFT CODE: HSBCHKHHHKH

OPTIONAL Accessories

Picture	Accessory name	SPECS		Applicable model
		SPECS	Weight (KG)	
	GPS102 Magnet battery cover			GPS102
	GPS102 battery dock charger			GPS102
	GPS102 AC adapter			GPS102
	GPS102 battery			GPS102
	GPS102 waterproof bag			GPS102
	12PIN USB cable	USB configure settings		GPS102, GPS104
	8PIN USB cable	USB configure settings		GPS103-A/B, GPS103-A/B+, GPS106-A/B/C, GPS107-A/B/C
	104 magnet			GPS104
	accident sensor	Please specify when place order, need to mount on mainboard		GPS103-A/B, GPS103-A/B+, GPS106-A/B/C, GPS107-A/B/C
	GPS102 hardwired car charger	2	0.085	GPS102
	GPS102 cigarette lighter car charger	1.2	0.061	GPS102
	shock sensor for 103 only	1	0.041	GPS103-A/B
	shock sensor	1	0.041	GPS103-A/B+, GPS106-A/B/C GPS107-A/B/C
	central locking relay		0.2	GPS103-A/B+,
	alarm siren	N/A	0.25	GPS103-A/B GPS103-A/B+, GPS106-A/B/C GPS107-A/B/C
	camera		0.28	GPS106-A/B/C GPS107-A/B/C
	fuel sensor	0.33M	0.5	GPS103-A/B+, GPS106-A/B/C, GPS107-A/B/C
		0.53M		
		0.68M		
		0.8M		
		0.9M		
		1.2M		
		1.5M		
1.7M				
	temperature sensor	2 meters and 0.5USD for each one meter more, Range: -50 to +125 degree	0.04	GPS106-A/B/C GPS107-A/B/C

	Microsd	2GB		GPS102-B/C GPS103-A/B GPS103-A/B+, GPS104-A/B GPS106-A/B/C GPS107-A/B/C
	GPS antenna	2 meters	0.067	
	GSM antenna	2 meters	0.036	
	Relay for stopping engine	4 PIN / 5 PIN		
	Metal remote controller			GPS106-A/B/C GPS107-A/B/C
	Plastic case remote controller		0.036	GPS103-B GPS103-B+,
	Central locking system(JDM)	Relay box+8PIN harness+5PIN harness+10PIN harness		GPS106-A/B/C GPS107-A/B/C
	Dialer	Dialer need to work with speaker siren together to call, if no need speaker siren, then no need		GPS107-A/B/C
	Speaker siren			GPS107-A/B/C
	Call handset	Choose one only from these 3 accessories for each tracker		GPS107-A/B/C
	Scheduling screen			GPS107-A/B/C
	RFID reader			GPS107-A/B/C
	OBDII	Choose one only from these 3 accessories for each tracker		GPS107-A/B/C
	CAN			GPS107-A/B/C
	RFID inductive key			GPS107-A/B/C
	LED ads screen	78.8*3*3cm wire: 3	2	GPS107-A/B/C