



ZHEJIANG JUESHUI ELECTRICAL&MECHANICAL TECHNOLOGY CO., LTD

Baishui Industrial Zone, Tianhuangping Town, Anji, Huzhou, Zhejiang Province, China

Tel: 0086-571-81386371 | Fax: 0086-571-81386373 | E-mail: king@china-ebikes.com

Attn: Mr.Keith Zhang Http://www.china-ebikes.com

CE EN15194


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor(350W optional)
	Battery	36v10Ah lithium-ion battery(36V 12AH/16Ah optional)
	Tyre	26"x2.125 puncture resistant MTB tires (KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist(80km/120km)
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front disk brake,Rear disk brake(V brake optional)
	Derailleur	SHIMANO 7-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	Accessories	Charger,Pedals,Bell,tool kits,manuals
All fixings	Aluminum alloy or stainless steel ,no steel	
Weight	28.5Kgs(incl.battery)	
Model: JSE76(full suspension electric mountain bike)	Packing size	155x25x80cm(L*W*H)
Price: USD475.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor(350W optional)
	Battery	36v10Ah lithium-ion battery(36V 12AH/16Ah optional)
	Tyre	26"x2.125 puncture resistant MTB tires (KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist(80km/120km)
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front disk brake,Rear disk brake(V brake optional)
	Derailleur	SHIMANO 7-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	Accessories	Charger,Pedals,Bell,tool kits,manuals
All fixings	Aluminum alloy or stainless steel ,no steel	
Weight	28.5Kgs(incl.battery)	
Model: JSE70(26"electric mountain bike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD465.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	26"×1.95 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front disk brake,Rear V brake
	Derailleur	SHIMANO 6-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	Accessories	Charger,Pedals,Bell,tool kits,manuals
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	27.5Kgs(incl.battery)	
Model: JSE46(26" city ebike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD460.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery(12Ah/16Ah optional)
	Tyre	26"×1.95 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front and rear disk brake(V brake optional)
	Derailleur	SHIMANO Acera 7-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	Accessories	Charger,Pedals,Bell,tool kits,manuals
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	28Kgs(incl.battery)	
Model: JSE72C(26" city ebike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD463.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	26"×1.95/2.125 puncture resistant MTB tires (KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front and rear disk brake(V brake optional)
	Derailleur	SHIMANO 6/7-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	27Kgs(incl.battery)	
Model: JSE72M(26" Mountain ebike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD460.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	20"×1.75/1.95 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,60km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front disk brake,Rear V brake
	Derailleur	SHIMANO 6-speed-gears
	Loading capacity	120kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	25.5Kgs	
Model: JSE12(20"electric folding bike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD459.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	20"×1.75/1.95 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front disk brake,Rear V brake
	Derailleur	SHIMANO 6-speed-gears(Nexus internal 3-speed-gears optional)
	Loading capacity	120kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	25.5Kgs	
Model: JSE20(20"electric folding bike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD459.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v 8Ah lithium-ion battery
	Tyre	20"×1.75 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	42km pure electric,63km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front V brake,Rear V brake
	Derailleur	SHIMANO 6-speed-gears(Nexus internal 3-speed-gears optional)
	Loading capacity	120kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	25.5Kgs	
Model: JSE30(20" electric folding bike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD458.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless front hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	26"x1.75/1.95 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front V brake,Rear Shimano roller brake
	Derailleur	SHIMANO Nexus internal 3-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	27Kgs(incl.battery)	
Model: JSE32-N3(26" city ebike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD489.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	26"x1.75/1.95 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front disk brake,Rear V brake
	Derailleur	SHIMANO 6-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	27Kgs	
Model: JSE32(26" city ebike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD460.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless front hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	700Cx35C(38C/40C)puncture resistant with reflex sidewall
	Max speed	25Km/h
	Range per charge	65km with pedal assist
	PAS	1:1 intelligent pedal assistant system(PAS)
	Throttle	No
	Brake system	Front V brake,Rear Shimano roller brake
	Derailleur	SHIMANO Nexus inner 7-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	28.5Kgs	
Model: JSE48(700C dutch lady bike)	Packing/Carton size	185x25x100cm(L*W*H)
Price: USD568.00/PC FOB SHANGHAI,CHINA	Container loading	62pcs/20ft container,138pcs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	700Cx40C/45C puncture resistant with reflex sidewall
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front disk brake,Rear V brake
	Derailleur	SHIMANO 7-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	28.5Kgs(incl.battery)	
Model: JSE36(700C men bike)	Packing/Carton size	185x25x100cm(L*W*H)
Price: USD468.00/PC FOB SHANGHAI,CHINA	Container loading	62pcs/20ft container,138pcs/40HQ


Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	26"×1.75/1.95 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front disk brake,Rear V brake
	Derailleur	SHIMANO 6-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
All fixings	Aluminum alloy or stainless steel ,no steel	
Weight	27Kgs	
Model: JSE34(26" city ebike)	Packing/Carton size	155x25x80cm(L*W*H)
Price: USD460.00/PC FOB SHANGHAI,CHINA	Container loading	82pcs/20ft container,215cs/40HQ



Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	24"×1.75 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front and rear V brake
	Derailleur	SHIMANO 6-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
All fixings	Aluminum alloy or stainless steel ,no steel	
Weight	26.5Kgs(incl.battery)	
Model: JSE32S(24" city ebike)	Packing/Carton size	145x28x78cm(L*W*H)
Price: USD449.00/PC FOB SHANGHAI,CHINA	Container loading	96pcs/20ft container,210pcs/40HQ

Photo	Specification	
	Frame	Aluminum alloy
	Motor	250W high efficiency brushless rear hub motor
	Battery	36v10Ah lithium-ion battery
	Tyre	24"×1.75 puncture resistant with reflex sidewall(KENDA or CST)
	Max speed	25Km/h
	Range per charge	45km pure electric,65km with pedal assist
	PAS	1:1 intelligent pedal assistant system
	Throttle	Twist intelligent speed control throttle
	Brake system	Front and rear V brake
	Derailleur	SHIMANO 6-speed-gears
	Loading capacity	125kgs
	Charger	2 Amps Smart charger,AC100-240V,50-60Hz
	Charging time	4-6 Hours
	All fixings	Aluminum alloy or stainless steel ,no steel
Weight	26.5Kgs(incl.battery)	
Model: JSE46S(24" city ebike)	Packing/Carton size	145x28x78cm(L*W*H)
Price: USD449.00/PC FOB SHANGHAI,CHINA	Container loading	96pcs/20ft container,210pcs/40HQ

Remarks:

- (1.) All the price is based on FOB Shanghai China for full container
- (2.) MOQ: 1x20ft container(we can accept maximum of 3 different models mixed up in one container);Sample order is acceptable,price negotiable
- (3.) Terms of payment: T/T or L/C at sight, T/T 30% as the down payment,T/T 70% against the copy of B/L
- (4.) Delivery time: 30-45 days after confirmation of the order
- (5.) Quotation validity time: 30 days
- (6.) Backup service: We will provide 2% free spare parts from the total invoice value based on full container order
- (7.) The above quotations are based on our factory's standard configurations,whereas customers could ask for specific specifications. OEM service and customization service are all available.

All information in this offer sheet shall not be in any way copied or reproduced without the written consent of JUESHUAI CORP.